

INDEX MAPS.

T. 4 N. R. 11 E. 2nd Mer.

	360		361		361		361		361		362	
	363		363		363		362		362			
365	6	373	5	382	4	381	3	380	2	379	1	360
	383		383		382		381		380		379	
365	7	382	8	381	9	381	10	380	11	379	12	360
	379		378		376		374		372		371	
364	18	378	17	376	16	374	15	372	14	371	13	359
	378		377		375		374		372		370	
364	19	377	20	375	21	373	22	371	23	370	24	359
	377		377		375		373		370		367	
363	30	376	29	374	28	373	27	369	26	366	25	358
	369		369		368		365		367		366	
363	31	369	32	368	33	368	34	367	35	366	36	358
	357		357		357		357		357		358	

Ohio R.

T. 5 N. R. 11 E. 2nd Mer.

	³⁹⁰ 393	³⁹⁰ 393	³⁹⁰ 392	³⁹¹ 392	³⁹¹ 392	³⁹¹ 391						
396	6	414	5	409	4	406	3	403	2	402	1	390
	414	414	409	406	402	402						
395	7	413	8	409	9	406	10	402	11	401	12	389
	413	413	408	405	401	400						
395	18	412	17	408	16	405	15	401	14	399	13	389
	412	412	408	404	400	399						
394	19	411	20	408	21	404	22	400	23	399	24	388
	411	411	407	404	399	397						
394	30	410	29	407	28	404	27	398	26	397	25	388
	410	410	407	403	398	397						
393	31	410	32	406	33	403	34	398	35	396	36	387
	385	385	385	385	385	386	386					
	387	387	387	387	387	386	386					

The figures on the lines refer to the page.

Township N. 5 North, Range N. 11 East 2nd Mer. Indiana
ch² lth.

385

South Boundary, Random line.

East On S. boundary of Sec. 31

30.00 a Brook 3 lth. wide Co. S.

40.00 Set temp^y. q^r. Sec. post

52.00 a Creek 40 lth. wide Course NE, kept down it

65.00 leave Creek running S. E.

67.00 a Creek 50 lth. wide Course S.

80.00 Set temp^y. Cor. to Sec. 31 & 32

Hilly poor land, timber Oak, Lym, Angar &c.

East On S. boundary of Sec. 32

40.00 Set temp^y. q^r. Sec. post,

61.00 Brook 14 lth. wide Course S. E.

74.00 a do. 4 " " " S.

80.00 Set temp^y. Cor. to Sec. 32 & 33

Hilly rich land, timber Lym, Elm, Ash &c

East On S. boundary of Sec. 33

7.00 a Creek 35 lth. wide Course S. W.

13.00 a Brook 3 " " " N. W.

37.00 a do 3 " " " N. W.

40.00 Set temp^y. q^r. Sec. post

69.00 a Brook 3 lth. wide Course N. W.

72.00 a do. 10 " " " N. W.

77.00 a do. 10 " " " S. W.

80.00 Set temp^y. Corner to Sec. 33 & 34

Hilly rich land, Oak, Poplar, Lym, Angar &c.

East On S. boundary of Sec. 34

3.00 a Brook 10 lth. wide Course N. W.

19.00 a do. 6 " " " S. W.

35.00 a do 3 " " " S. W.

40.00 Set temp^y. q^r. Sec. post

46.00 a Spring Course S. W.

80.00 Set temp^y. Corner to Sec. 34 & 35

First 1/2 mile hilly rich land Oak, Beech, Poplar

S. N. R. M. E. D. Mer. Indiana

Ch. 10th

last $\frac{1}{4}$ mile level Oak timbered land

East On S. boundary of Sec. 35

36.50 a Brook 10 lks. wide Corner S. E.

40.00 Set temp. q. Sec. post, Sept. 7th 1806

51.00 a Brook 3 lks. wide C. S. N.

67.00 Indian Kentucky 25 lks. wide Corner S.

80.00 Set temp. Cor. to Sec. 35 & 36

Rich land, timber Sugar, Oak, Beech &c

East On S. boundary of Sec. 36

31.00 a Brook 3 lks. wide Corner S. N.

40.00 Set temp. q. Sec. post

80.50 Intersected the Range line 50 lks. N. of the
Corner to Township 4 & 5 N. Range 11 & 12
East. Rich land, Sugar, Oak, Beech

True Line var. 5° 50' E.

West On S. boundary of Sec. 36

40.00 Set q. Sec. post, from which
a Beech 14 m. dist. by 34 E 8 lks. dist. of
a Do. 12 " " " N 85 W 32 " "

80.00 Set post Cor. to Sec. 35 & 36, from which
a Beech 14 m. dist. by 38 W 25 lks. dist. of
a Sugar 16 " " " N 7 W 33 " "

West On S. boundary of Sec. 35

40.00 Set q. Sec. post, from which
an Elm 10 m. dist. by 36 E 8 lks. dist. of
a Walnut 16 " " " N 31 E " "

80.00 Set post Cor. to Sec. 34 & 35, from which
a W. Oak 14 m. dist. by 33 W 20 lks. dist. of
a Do. 16 " " " North 22 " "

West On S. boundary of Sec. 34

40.00 Set q. Sec. post, from which

5th R.M.E.D. Mer. Indiana 387
ch. 187

a Hickory 12 m. dist. bear S 78° 36' E 36 ch. dist. 5
a R. Oak 20 " " " N 22° E 43 " "
80.00 Set post Cor. to Sec. 33 & 34, from which
a Sugar 14 m. dist. bear N 13° E 23 ch. dist. 5
a Do. 10 " " " S 31° W 25 " "

West On S. boundary of Sec. 33
40.00 Set q. Sec. post, from which
a Gum 16 m. dist. bear N 63° W 13 ch. dist. 5
an Elm 9 " " " S 67° E 10 " "
80.00 Set post Cor. to Sec. 32 & 33, from which
an Elm 12 m. dist. bear N 82° E 7 ch. dist. 5
a Sugar 5 " " " S 67° W 17 " "

West On S. boundary of Sec. 32
40.00 Set q. Sec. post, from which
a Sugar 12 m. dist. bear N 51° W 14 ch. dist. 5
a W. Oak 8 " " " S 8° E 17 " "
80.00 Set post Cor. to Sec. 31 & 32, from which
a R. Oak 16 m. dist. bear S 81° W 27 ch. dist. 5
an Ash 12 " " " S 60° E 29 " "

West On S. boundary of Sec. 31
40.00 Set q. Sec. post, from which
a Sugar 12 m. dist. bear N 87° E 17 ch. dist. 5
a Do. 8 " " " N 54° W 30 " "
80.50 to Cor. of Township 4 & 5 N. Range 10 & 11 E.
September 7th 1806

Alexander Holmes,
Deputy Surveyor

East Boundary var 5° 25' E.
North On E. boundary of Sec. 36
5.55 a Beech 12 m. dist.
15.62 a Do. 24 " "
40.00 Set q. Sec. post, from which

388

St. R. M. E. D. Mer. Indiana

Ch. Lk.

a Beech 6 mi. dist. bear N 63 1/4 W 7 1/2 hrs. dist. of
a Do. 18 " " " N 70 E 8 " "

49.65 a Poplar 20 " "

80.00 at foot Cor. to Sec. 25 of 36, from which
a Beech 10 mi. dist. bear N 68 E 2 1/2 hrs. dist. of
a W. Oak 15 " " " N 33 W 12 " "

a water course 6 hrs. wide run S. W. by the Cor.

Land gently ascending & descending 2nd rate
timber Beech, Sugar, Poplar, Oak, Hickory &c

North On E. boundary of Sec. 25

3.53 a Lym 30 mi. dist.

12.54 a Hickory 18 " "

18.50 a Brook 9 hrs. wide course S. W.

24.00 same 8 " " S. W.

40.00 at gr. Sec. foot, from which

a Poplar 36 mi. dist. bear N 64 W 2 1/2 hrs. dist. of
a Gum 14 " " " N 64 E 17 " "

50.65 a Beech 42 " "

60.90 a Brook 8 hrs. wide E. S. W.

72.50 a Poplar 12 mi. dist.

80.00 at foot Cor. to Sec. 24 of 25 from which

a Hickory 14 mi. dist. bear N 77 W 2 1/2 hrs. dist. of
a Buckeye 12 " " " N 62 1/2 E 4 1/2 " "

Land hilly & thin Beech, Sugar, Poplar, Oak &c

North On E. boundary of Sec. 24

1.00 a Brook 20 hrs. wide course E.

17.00 a Beech 36 mi. dist.

40.00 at gr. Sec. foot, from which

a Sugar 16 mi. dist. bear N 63 W 2 1/2 hrs. dist. of
a Beech 36 " " " N 79 1/2 E 27 " "

43.30 a W. Oak 30 " "

50.40 a Brook 14 hrs. wide run S. W.

62.62 a Beech 18 mi. dist.

66.05 a Sugar 20 " "

St. N. M. E. 2nd Mer. Indiana

389

Ch. Lk.

- 77.10 a Brook 8 Lk. wide Course W.
 80.00 At post Cor. to Sec. 13 of 24, from which
 a Beech 5 m. dist. by N 71 1/2 W 24 Lk. dist. of
 a Sugar 15 " " " S 70 E 39 " "
 Sand hilly & thin, timber Beech, Oak Hickory.
 Sugar tree &c.

North On E. boundary of Sec. 13

- 0.75 a Brook 5 Lk. wide C. S. M.
 17.00 a do. 4 " " " N.
 27.25 a do 15 " " " W.
 34.50 a do 10 " " " S. M.
 37.90 a Poplar 4 1/2 m. dist.
 40.00 At gr. Sec. post, from which
 a Sugar 16 m. dist. by N 75 E 9 Lk. dist. of
 a Beech 12 " " " N 47 W 19 " "
 47.90 a Sugar 16 " "
 55.75 a Brook 10 Lk. wide Course W.
 58.40 a W. Oak 18 m. dist.
 80.00 At post Cor. to Sec. 12 of 13, from which
 a Sugar 15 m. dist. by N 31 E 19 Lk. dist. of
 a do. 5 " " " S 20 W 21 " "
 Sand hilly & poor, timber Sugar, Beech, Oak &c.

North On E. boundary of Sec. 12

- 19.00 a Brook 50 Lk. wide C. S. W.
 27.47 an Elm 12 m. dist.
 40.00 At gr. Sec. post, from which
 a Beech 8 m. dist. by N 79 E 9 Lk. dist. of
 a do. 36 " " " S 60 W 24 " "
 42.70 a Beech 24 " "
 60.53 an Ash 13 " "
 72.25 a Brook 15 Lk. wide Course S. E.
 80.00 At post Cor. to Sec. 11 of 12, from which
 an Iron W. 5 m. dist. by S 67 E 8 Lk. dist. of
 a Hickory 8 " " " S 73 W 15 " "

390 S. N. P. M. E. 2. Mer. Indiana

chilly
Land hilly & poor, timber Beech, Oak, Hickory
Sugar tree &c. and g^o Spruce, White Pine &c

North On E. boundary of Sec. 1

8.50 at Brook 10 ths. wide C. S. E.

10.50 at Beech 18 m. dist.

40.00 Set g^o. Sec. post, from which
a Sugar 9 m. dist. bears N 78 E 7 ths. dist. of
a Do. 16 " " " N 24 N 34 " "

49.75 a Gum 20 " "

55.20 at Brook 25 ths. wide C. S. E.

65.21 at Beech 36 m. dist.

80.00 Set post Cor. to Township 5 & 6 North, of
Range 11 & 12 East, from which
at Beech 18 m. dist. bears N 74 E 10 ths. dist. of
a Do. Walnut 10 " " " N 73 N 40 " "
Land timber &c. same as on last mile
Oct. 27th. 1806.

North Boundary, Random line

East On S. boundary of Sec. 31, S. N. P. M. E.

34.00 at Brook 15 ths. wide Course S. W.

40.00 Set temp^y. g^o. Sec. post

80.00 Set temp^y. Cor. to Sec. 31 & 32

Land level, timber Beech, Sugar, Oak &c

East On S. boundary of Sec. 32, S. N. P. M. E.

40.00 Set temp^y. g^o. Sec. post

80.00 Set temp^y. Cor. to Sec. 32 & 33

Land flat timber Oak, Beech, Gum &c

East On S. boundary of Sec. 33, S. N. P. M. E.

5.50 at Brook 10 ths. wide Course with the line crossing it,
[Several times to its mouth]

40.00 Set temp^y. g^o. Sec. post

44.10 at Brook 20 ths. wide Course S. E.

62.35 a Creek 50 " " " South

391

Tst Nth Rth E. 2^d Mer. Indiana

Chth

71.20 at Brook 8th. wide runs N.W. falls apparently
100 feet in a short distance, great part of the year water

80.00 Set temp^y. Cor. to Sec. 33 & 34

Sand & Shilly timber Beech Oak, Ash &c.

October 31st, 1806

East On S. boundary of Sec. 34, Tst Nth Rth E.

140.00 Set temp^y. of Sec. post

80.00 Set temp^y. Corner to Sec. 34 & 35

Sand level spruce, timber Sugar, Poplar, Beech
Walnut &c. under Spruce

East On S. boundary of Sec. 35, Tst Nth Rth E.

7.00 at Brook 5th. wide Course S.

17.54 a do 5 " " " S.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Cor. to Sec. 35 & 36

Sand timber &c. same as on last mile

East On S. boundary of Sec. 36, Tst Nth Rth E.

11.70 at Brook 4th. wide Course S.E.

40.00 Set temp^y. of Sec. post

43.25 at Brook 10th. wide Course S.E.

54.25 a do. 25 " " " S.E.

73.65 Set 415th. S. of post Cor. to Township 5 & 6 N.
Range 11 & 12 East.

First 1/2 mile level - rest hilly, timber Beech,
Sugar, Ash, Oak, Hickory &c.

True Line

West On S. boundary of Sec. 36, Tst Nth Rth E.

11.53 at Beech 16 in. dia.

30.03 a do. 16 " "

40.00 Set of Sec. post from which

at Beech 16 in. dia., bear N 6 W 13th. dist. of

a do. 6 " " " N 10 E 26 " "

392

T5 N. R11 E. 2nd Mer. Indiana

59.66 at Beech 24 m. dist.

70.70 a do 24 " "

80.00 At post Cor. to Sect. 34 & 35, from which
a Cypress 36 m. dist. bearing N 21 W 14 lks. dist. of
a Beech 30 " " " S 67 W 20 " "

Nest On S. boundary of Sec. 35, T6 N. R11 E.

5.30 an Ash 36 m. dist.

23.10 at Beech 34 " "

40.00 At gr. Sec. post, from which
a Beech 30 m. dist. bearing N 42 E 23 lks. dist. of
a do. 12 " " " S 22 W 35 " "

62.55 at 2 Walnut 20 " "

80.00 At post Cor. to Sect. 34 & 35, from which
a Beech 22 m. dist. bearing N E 10 lks. dist. of
an Ash 24 " " " N 30 W 30 " "

Nest On S. boundary of Sec. 34, T6 N. R11 E.

16.53 at Beech 18 m. dist.

38.58 a Sugar 20 " "

40.00 At gr. Sec. post, from which
an Ash 8 m. dist. bearing S 26 W 33 lks. dist. of
a Sugar 13 " " " N 9 W 16 " "

51.23 a Beech 18 " "

66.93 a do. 16 " "

80.00 At post Cor. to Sect. 33 & 34, from which
a Hickory 8 m. dist. bearing N 48 W 12 lks. dist. of
a Sugar 13 " " " N 18 W 31 " "

Nest On S. boundary of Sec. 33, T6 N. R11 E.

10.20 a Sugar 13 m. dist.

40.00 At gr. Sec. post, from which
a Beech 11 m. dist. bearing N 24 W 19 lks. dist. of
a do. 13 " " " S 43 E 27 " "

52.60 a Beech 15 " "

80.00 At post Cor. to Sect. 32 & 33, T6 N. R11 E. from which

T5 N. R. M. E. 2. Mer. Indiana

393

ch. l. h. a Hickory 13 mi. dist. from S. 24 N. 17 E. dist. of
at Beech 8 " " " S. 14 N. 11 " "

West On S. boundary of Sec. 32, T5 N. R. M. E.

29.05 a Hickory 11 mi. dist.

40.00 At gr. Sec. post, from which

a S. Gum 22 mi. dist. from S. 39 E. 19 N. dist. of

an Elm 14 " " " S. 21 E. 12 " "

42.40 a W. Oak 36 " "

51.07 a Do. 22 " "

80.00 At post Cor. to Sec. 31 & 32, from which

a W. Oak 10 mi. dist. from S. 73 E. 3 N. dist. of

at Beech 15 " " " S. 44 N. 29 " "

West On S. boundary of Sec. 31, T5 N. R. M. E.

12.08 at Beech 18 mi. dist.

40.00 At gr. Sec. post, from which

at Beech 24 mi. dist. from S. 33 N. 4 N. dist. of

a Do. 9 " " " S. 21 E. 21 " "

64.70 a Cherry 13 " "

73.64 continued the Town Corner.

November 1st 1806

West Boundary var. 5.25! E.

North On E. boundary of Sec. 36, T5 N. R. M. E.

24.00 a W. Oak 36 mi. dist.

40.00 At gr. Sec. post, from which

a Gum 16 mi. dist. from S. 40 E. 7 N. dist. of

a Sugar 14 " " " S. 52 E. 5 " "

43.55 at Brook 6 N. wide Course N. E.

55.25 a Do. 8 " " " N. E.

57.40 an Ash 18 mi. dist.

66.51 a Hickory 20 " "

77.65 at Brook 20 N. wide Course N. E.

80.00 At post Cor. to Sec. 25 & 36, from which

at Beech 20 mi. dist. from S. 13 E. 8 N. dist. of

394 S. N. N. E. 2^d Mer. Indiana
Ch. 2th

at Beech 12 mi. dist. from S. 26 E 18th. dist. of
Sandhills, timber Oak, Beech, Hickory,
ash, Gum &c.

North On E. boundary of Sec. 25, S. N. N. E.

7.25 a Sycamore 36 mi. dist.

9.00 at Brook 30th (wide run S. E. below the line,
but line runs up it 550th from S. N. N.

23.20 at Brook 15th wide Course S. N.

23.86 a W. Oak 24 mi. dist.

40.00 Set of Sec. post, from which
an Ash 6 mi. dist. from S. 89 E 34th. dist. of
a Sugar 16 " " " S. 86 W 22 " "

50.50 at Brook 6th wide Course S. E.

61.31 at Beech 12 mi. dist.

71.46 an Ash 40 " "

80.00 Set post Cor. to Sec. 24 & 25, from which
an Elm 11 mi. dist. from S. N. E 10th. dist. of
at Beech 10 " " " N. 68 W 28 " "

Sandhills rich, timber Sugar, Beech, Oak
Hickory, Ash &c. Oct. 29th 1886.

This night a considerable snow, but the bushes
had to be by the 30th all day.

North On E. boundary of Sec. 24, S. N. N. E.

22.92 a Sugar 26 mi. dist.

40.00 Set of Sec. post, from which
an Elm 13 mi. dist. from S. 65 E 24th. dist. of
a Linn 13 " " " S. 74 W 4 " "

46.70 at Beech 32 " "

60.33 at Brook 8th wide Course W.

78.30 a do. 20 " " " S. W.

80.00 Set post Cor. to Sec. 13 & 24, from which
at Beech 14 mi. dist. from S. 47 W 1th. dist. of
a Sugar 5 " " " S. 22 E " "

First 75 chain level rich land - rest hilly, timber

395
S. N. N. E. 2nd Mer. Indiana
chth

Sugar, Beech, ash, Hickory, Oak &c.
undergth, Spruce &c

North On E. boundary of Sec. 13, 15 N. 12 W. E.

9.75 a Brook 10th, wide Course S. W.

16.50 a Hickory 20 in. dia.

23.98 a Brook 4th, wide Course N. E.

40.00 Let of. Sec. post, from which
at Beech 9 in. dia. bray N 16 E 13th, dist. of
and Ash 15 " " " S 27 W 20 " "

41.54 a R. Gum 30 " "

43.27 a do. 30 " "

67.55 at Beech 16 " "

80.00 Let post Cor. to Sec. 12, 13, 15 N. 12 W. E. from which
at Beech 8 in. dia. bray N 17 W 8th, dist. of
a Hickory 6 " " " S 12 E 20 " "

First 1/2 mile hill - rest level 2nd rate, timber
Beech, Sugar, Oak, Poplar &c. undergth
Spruce &c

North On E. boundary of Sec. 12, 15 N. 12 W. E.

8.50 at Beech 44 in. dia.

10.60 a Brook 8th, wide Cr. S. W.

12.62 a do. 6 " " " S. W.

32.00 a do. 12 " " " W.

34.59 at Beech 10 in. dia.

40.00 Let of. Sec. post, from which
at Beech 8 in. dia. bray N 37 W 3th, dist. of
a do. 14 " " " S 39 W 26 " "

47.04 a Beech 20 " "

58.51 a do. 18 " "

69.30 a Brook 6th, wide Course S. W.

75.06 at Beech 24 in. dia.

80.00 Let post Cor. to Sec. 12, 13, 15 N. 12 W. E. from which
at Beech 6 in. dia. bray N 30 W 11th, dist. of
a do. 5 " " " S 22 W 15 " "

5th N. R. M. E. 2^d. Mer. Indiana
 ch. 1st 1/2
 Land level, timber Beech, Sugar, Poplar &c
 and ungth. Spruce &c.

North On E. boundary of Sec. 1, 5th N. R. M. E.
 5.04 at Brook 7th m. wide C. S. M.
 11.15 at Beech 16 m. diam.
 17.78 a Do. 16 " "
 23.50 at Brook line runs down it to its mouth
 26.00 a Do. 15th m. wide C. S. M.
 38.85 a Do. 5 " " " M.
 40.00 at gr. Sec. post, from which
 at Beech 7 m. diam. bears S 9th 22th m. dist. of
 a Do. 9 " " " S 20th E 31 " "
 51.95 a Poplar 48 " "
 52.87 at Brook 12th m. wide Course M.
 56.64 a Poplar 48 m. diam.
 80.00 at post Cor. to Township 5 & 6 North,
 Range 10 & 11 East, from which
 an Elm 10 m. diam. bears S 7th E 16th m. dist. of
 a Beech 13 " " " N 17th E 20 " "
 Land Broken & poor, timber Beech, Sugar
 Oak &c. undugth. same some Spruce
 October 31st 1876

Surveyed by
 John Brownson
 Deputy Surveyor

Subdivision.

Saturday November the 15th 1876

North Between Secs. 35 & 36
 15.00 to E. fork of Indian Kentucky 100th m. wide S 20th W
 40.00 at gr. Sec. post, from which
 at Beech 15 m. diam. bears N 47th E 12th m. dist. of
 a Do. 15 " " " N 45th W 6 " "
 42.00 to Said E. fork 100th m. wide Course S. E.
 80.00 at post Cor. to Secs. 25, 26, 35 & 36, from which

5th R.M.E. 2^d. Mer. Indiana 397
ch. lly

a Red Elm 10 in. dia. beam 855 E 20 lks. dist. of
a Buckeye 3 " " " N 81 E 13 "
Good level bottom land, Beech, Poplar &c.

East On Land^m. between Secs. 25 & 26

6.50 a stream 25 lks. wide C.P.S.
40.00 at temp. of Sec. post
80.10 Intersected E. boundary 20 lks. N. of post
Broken land soil rich, timber Beech, Oak
and Oak.

West Connected between Secs. 25 & 26

40.05 at of Sec. post at average dist. from which
an Ironwood 4 in. dia. beam N 20 E 12 lks. dist. of
a do. — " " " S 59 N 4 "
80.10 to Sec. Corner

North Between Secs. 25 & 26

40.00 at of Sec. post from which
a Lym 9 in. dia. beam S 13 W 24 lks. dist. of
a N. Oak 15 " " " N 13 E 17 "
78.00 to E. fork of Indian Ry. Cr. 100 lks. wide S.W.
80.00 at post Cor. to Secs. 23, 24, 25 & 26, from which
a Beech 12 in. dia. beam North 13 lks. dist. of
a do. 15 " " " South 21 "
Broken Beech & Oak timbered land

East On Land^m. between Secs. 24 & 25

40.00 at temp. of Sec. post
50.50 to E. fork of Indian Ry. Cr. 100 lks. wide S.W.
80.00 Intersected E. boundary 5 chains S. of post
travelled 1 mile West & 1 mile South & chained
over again the line between Secs. 25 & 26, and
find it 80 chains. Broken Beech & Oak land

West Connected between Secs. 24 & 25

398

S. N. N. E. 2nd Mer. Indiana

ch. lly

40.00 Set gr. Sec. post at average dist. from which
 at Elm 12 mi. dist. by N 15 E 14 lks. dist. of
 a Hickory 24 " " " N 26 W 22 " "
 80.00 to Sec. Corner. 1st days work

North Between Secs. 34 & 35

40.00 Set gr. Sec. post, from which
 a Gum 14 mi. dist. by N 22 W 21 lks. dist. of
 a Beech 15 " " " N 22 E 20 " "
 80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
 a Beech 3 mi. dist. by N 65 E 16 lks. dist. of
 a Hickory 24 " " " N 70 W 14 " "
 Broken Beech & Oak timbered land

East On Rand^m. between Secs. 26 & 35

40.00 Set temp. gr. Sec. post
 75.50 to E. branch of Indian Ry. Cr. 75 lks. S. E.
 80.00 Intersected the N & S line at the Corner
 Over Broken land timber as before

West Connected between Secs. 26 & 35

40.00 Set gr. Sec. post, at average dist. from which
 a Cassapaga 6 mi. dist. by N 1 W 22 lks. dist. of
 a Beech 8 " " " N 50 E 19 " "
 62.20 a Cor. 10 " "
 80.00 to Sec. Corner

North Between Secs. 26 & 27

40.00 Set gr. Sec. post, from which
 at Beech 7 mi. dist. by N 37 W 17 lks. dist. of
 a Sugar 6 " " " N 9 W 8 " "
 80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
 at Beech 16 mi. dist. by N 66 E 26 lks. dist. of
 a Cor. 14 " " " N 32 W 23 " "
 Broken, Beech, Oak & ash timbered land

St. N. P. N. E. 2^d. Mer. Indiana

399

42th
East On Land^m between Secs. 23 & 26
40.00 Set temp^y. gr. Sec. post
79.80 Intersected with N & S line at the corner,
Over Broken Beech & Oak land

West Corrected between Secs. 23 & 26
39.90 Set gr. Sec. post at average dist. from which
a Beech 6 mi. dist. bear N 17 E 6th, dist. of
a Do. 4 " " " N 17 N " "
79.80 to Sec. Corner.

North Between Secs. 23 & 24
40.00 Set gr. Sec. post, from which
a Sugar 6 mi. dist. bear N 17 E 6th, dist. of
a Do. 5 " " " N 4 E 8 " "
Broken Beech timbered land
80.00 Set post Cor. to Secs. 13, 14, 23 & 24 from which
at Beech 8 mi. dist. bear East 10th, dist. of
a Do. 10 " " " West 20 " "
Land &c. same as on 1st 1/2 mile

East On Land^m between Secs. 13 & 24
15.00 a stream 50th, wide Course S.
40.00 Set temp^y. gr. Sec. post
80.20 Intersected E. boundary 500th, S. of post
Over Broken Beech land

West Corrected between Secs. 13 & 24
40.10 Set gr. Sec. post at average dist. from which
a Beech 12 mi. dist. bear N 10 E 12th, dist. of
a Sugar 9 " " " S 20 E 21 " "
80.20 to Sec. Corner 2^d days work
November 18th 1806

North Between Secs. 13 & 14
40.00 Set gr. Sec. post, from which

S. N. N. E. 2nd Mer. Indianach. 1st 1/4

a Blue Ash 13 in. dia. bray N 73 W 24 lks. dist.
 a Buckeye 6 " " " N 67 E 31 " "
 48.50 to E. fork of Indian R. br. 50 lks. wide cr. E.
 80.00 Set post Cor. to Sec. 11, 12, 13 & 14 from which
 a Mulberry 5 in. dia. bray N 69 E 17 lks. dist. of
 a Sugar 8 " " " N 4 E 6 " "
 Broken Beech timbered land.

East On Rand^m. between Sec. 12 & 13

24.00 to E. branch 50 lks. wide runs S. W. (Indian Ry.)
 40.00 Set temp. pt. of Sec. post
 80.00 Intersected E. boundary 500 lks. S. of post
 Broken land, timber Beech & Sugar

West Cor. between Sec. 12 & 13

40.00 Set of Sec. post at average dist. from which
 a Sugar 12 in. dia. bray N 65 W 21 lks. dist. of
 a Beech 8 " " " N 21 E 13 " "
 80.00 to Sec. Corner

North Between Sec. 12 & 23

40.00 Set of Sec. post from which
 a Beech 12 in. dia. bray S 9 W 22 lks. dist. of
 a Dogwood 5 " " " N 9 E 11 " "
 Hilly land, timber Beech, Ash &c.
 50.50 a Beech 18 in. dia.
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23 from which
 a Beech 24 in. dia. bray S 55 E 13 lks. dist. of
 a Spruce 12 " " " N 20 E 28 " "
 Sand timber &c. same as on 1st 1/4 mile

East On Rand^m. between Sec. 14 & 23

40.00 Set temp. pt. of Sec. post
 80.16 Intersected the N. & S. line 39 lks. N. of post
 Sand broken rich soil, timber Beech & ash

(5 N. P. M. E. 2nd Mer. Indiana 401
chilly

West Connected between Secs. 14 & 23

40.08 Let gr. Sec. post at average dist. from which
a Spruce 16 mi. dist. bear N 40° W 22 lrs. dist. of
at Beech 10 " " " N 50° W 15 " "
80.16 to Sec. Corner.

North Between Secs. 14 & 15

40.00 Let gr. Sec. post, from which
at Beech 18 mi. dist. bear N 15° W 16 lrs. dist. of
a Do. 30 " " " N 36° E 14 " "
80.00 Let post Cor. to Secs. 10, 11, 14, 15, from which
a W. Walnut 14 mi. dist. bear N 10° E 24 lrs. dist. of
a Sugar 12 " " " N 10° W 20 " "
Broken rich land, timber Beech, Ash &c.

November the 19th 1886

East On Land between Secs. 11 & 14

25.00 to E. branch of Indian Ry. Cr. 75 lrs. wide run S. W.
40.00 Let temp. gr. Sec. post
80.00 intersect the N. & S. line at the Corner
Over Broken Beech timbered land

West Connected between Secs. 11 & 14

40.00 Let gr. Sec. post at average dist. from which
a Sugar 7 mi. dist. bear N 49° W 22 lrs. dist. of
at P. Ash 13 " " " N 49° E 13 " "
80.00 to Sec. Corner. Close of the 18th day

North Between Secs. 11 & 12

40.00 Let gr. Sec. post, from which
a Sugar 14 mi. dist. bear East 7 lrs. dist. of
at P. Walnut 8 " " " West 23 " "
80.00 Let post Cor. to Secs. 1, 2, 11 & 12, from which
at Beech 12 mi. dist. bear N 64° E 26 lrs. dist. of
a Do. 15 " " " N 65° W 45 " "
This mile not much broken, good rich land

402

S. N. R. M. E. I. Mer. Indiana

Ch. P. M.

East On Land^m between Sec. 1 & 1240.00 At temp^y. of Sec. post79.60 Intersected E. boundary 500 lks. S. of post
Over Broken land timber Beech, oak &c.

West Connected between Sec. 1 & 12

39.80 At q^r. Sec. post at average dist. from which
at Beech 36 in. dia^r. beam N 77° E 10 lks. dist. of
a do. 20 " " " N 77° W 16 " "

79.60 to Sec. Corner

North Between Sec. 1 & 2

40.00 At q^r. Sec. post, from whichat M. Ash 24 in. dia^r. beam S 69° W 21 lks. dist. of
a Sugar 7 " " " N 69° E 5 " "82.50 Intersected the N. boundary at the post
This mile over good level rich land, timber
Ash, Oak, Walnut, Hickory &c.

North Between Sec. 10 & 11

6.50 to E. fork. of Indian Ry. Crk. 60 lks. wide run E.

40.00 At q^r. Sec. post, from whicha Sugar 8 in. dia^r. beam S 23° E 11 lks. dist. of
at Beech 16 " " " N 67° W 18 " "

This 1/2 mile Broken Beech land

80.00 At post Cor. to Sec. 2, 3, 10 & 11, from which
at Beech 10 in. dia^r. beam S 7° E 20 lks. dist. of
a do. 8 " " " N 16° W 26 " "This 1/2 mile good rich level land, Beech, Ash,
Hickory, Poplar &c.East On Land^m between Sec. 2 & 1140.00 At temp^y. of Sec. post79.56 Intersected the N & S. line at the corner
Over rich land, Beech, Ash, Poplar &c. some broken

S. N. V. C. E. 2nd Mer. Indiana 403

ch. 4th

West Corrected between Sec. 2 & 11

39.78 Set q. Sec. post, at average dist. from which
a Beech 18 mi. dist. by S 39° 11' 30" E 12 1/2 mi. dist. of
a do. 42 " " " North 29 " "

79.56 to Sec. Corner.

North Between Sec. 2 & 3

26.25 a Beech 10 mi. dist.

40.00 Set q. Sec. post, from which
a Poplar 9 mi. dist. by S 22° 1/2' E 34 1/2 mi. dist. of
a Sugar 10 " " " S 53° 1/2' E 10 " "

82.25 Intersected the N. boundary 150 lks. E. of post
Set post Cor. to Sec. 2 & 3, from which
a Dogwood 6 mi. dist. by S 75° 11' W 11 lks. dist. of
a do. 6 " " " S 57° E 24 " "
Good level rich land, Beech, Poplar, Ash &c.

November 20th 1806

North Between Sec. 33 & 34

40.00 Set q. Sec. post, from which
a Poplar 15 mi. dist. by S 32° W 12 lks. dist. of
a Beech 16 " " " S 32° E 17 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Dogwood 8 mi. dist. by S 63° W 5 lks. dist. of
a Beech 7 " " " S 50° E 7 " "
Land some broken soil rich timber Beech,
Ash, Poplar &c

East On Rand^m. between Sec. 27 & 34

40.00 Set stump q. Sec. post

80.60 Intersected the N. & S. line at the corner
Broken Beech & Ash land

West Corrected between Sec. 27 & 34

40.30 Set q. Sec. post at average dist. from which
a Beech 9 mi. dist. by S 23° W 21 lks. dist. of

S. N. R. N. E. 2nd Mer. Indiana

Ch. 1st

40.00 Let temp^l. gr. Sec. post

80.74 Intersected the S & D. line 43th Ch. N. of post
Level rich land timber Beech, Poplar &c.
undergnd, Spruce &c.

West Correlated between Secs. 15 & 21

40.37 Let gr. Sec. post, from which (at average dist.)
a Spruce 16 in. dia. beam N 67° W 16 Ch. dist. of
a Sugar 14 " " " N 60° W 41 " "

80.74 to Sec. Corner

North Between Secs. 15 & 16

20.00 a Beech 14 in. dia.

40.00 Let gr. Sec. post, from which
a Poplar 54 in. dia. beam N 79° E 28 Ch. dist. of
a Beech 8 " " " N 59° W 15 " "

80.00 Let post Cor. to Secs. 9, 10, 15 & 16, from which
a Sugar 12 in. dia. beam N 39° W 25 Ch. dist. of
a Beech 12 " " " South 11 " "

First 1/2 not much broken - last 1/2 Broken
timber Beech, Ash, Poplar &c.

East On Land 2nd between Secs. 10 & 15

28.00 at Brook 8 Ch. wide Cr. S. E.

40.00 Let temp^l. gr. Sec. post

80.82 Intersected the S & D. line at the corner.
Over Broken land Beech, Ash, Sugar &c

West Correlated between Secs. 10 & 15

40.41 Let gr. Sec. post at average dist. from which
a Buckeye 8 in. dia. beam N 40° E 10 Ch. dist. of
a Sugar 4 " " " N 50° W 8 " "

80.82 to Sec. Corner Nov. 20th 1806

Here Stephen Ludlow Came to help as his
township lines were not run.

406

S. St. R. M. E. 2^d. Mer. Indianach. 1st

North Between Secs. 9 & 10

40.00 Set of Sec. post, from which
 at Beech 6 mi. dist. bear South 28th dist. of
 a Hickory 14 " " " North 4 " "
 80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which
 a Gum 15 mi. dist. bear N 70th 38th dist. of
 a Sugar 4 " " " S 71th E 3 " "
 1st Mile Broken Beech timber land

East On Land, between Secs. 3 & 10

15.00 to E. branch of Indian Ry. Cr. 80th mi. wide South
 40.00 Set temp. of Sec. post
 80.76 Entered the N. S. line 15th mi. S. of Cor.
 Over Broken Beech land

West Corrected between Secs. 3 & 10

40.38 Set of Sec. post at average dist. from which
 at Beech 7 mi. dist. bear S 41th E 44th dist. of
 a Do. 18 " " " N 45th W 14 " "
 80.76 to Sec. Corner

North Between Secs. 3 & 4

23.00 to E. branch of Indian Ry. Cr. 80th mi. wide at S. E.
 40.00 Set of Sec. post, from which
 at Beech 10 mi. dist. bear S 23th W 24th dist. of
 a Do. 14 " " " N 23th E 18 " "
 83.40 Entered N. boundary 105th mi. E. of post
 Set post Cor. to Secs. 3 & 4 from which
 a Sugar 6 mi. dist. bear N 54th W 14th dist. of
 a Do. 5 " " " S 54th E 12 " "
 Land Broken, timber Beech, Sugar &c.

North Between Secs. 32 & 33

40.00 Set of Sec. post, from which
 a Sugar 7 mi. dist. bear N 13th dist. of
 a Gum 9 " " " East 3 " "

St. R. M. E. 2nd Mer. Indiana 407

Ch. 1st 1/4

80.00 Let post Cor. to Sec. 28, 29, 32 & 33 from which
at Red Elm 4 mi. dist. bearing N 49 E 16 km. dist. of
a P. Ash 8 " " " S 59 W 16 " "
Land Broken, timber Beech & Oak

East On Land, between Sec. 28 & 33

40.00 Let temp. q. Sec. post

80.00 Intersected the N & S. line at the corner
Broken Beech land

West Corried between Sec. 28 & 33

40.00 Let q. Sec. post, from which (at average dist)
at Beech 6 mi. dist. bearing N 10 E 15 km. dist. of
at P. Oak 15 " " " S 50 W 24 " "

80.00 to Sec. Corner

North Between Sec. 28 & 29

40.00 Let q. Sec. post, from which
at Beech 20 mi. dist. bearing S 8 W 18 km. dist. of
a do. 7 " " " S 18 E 21 " "

64.00 at P. Oak 20 " " "

80.00 Let post Cor. to Sec. 20, 21, 28 & 29, from which
at Beech - in dist. bearing East 15 km. dist. of
at Blue Ash 6 " " " S 70 W 18 " "
Broken Beech & Oak land

East On Land, between Sec. 21 & 28

40.00 Let temp. q. Sec. post

80.00 Intersected the N & S. line at the corner.
Land timber &c. Same as on last mile

West Corried between Sec. 21 & 28

40.00 Let q. Sec. post at average dist. from which
at Beech 6 mi. dist. bearing S 73 E 19 km. dist. of
a do. 12 " " " S 57 W 20 " "

80.00 to Sec. Corner.

408

S. A. P. M. E. D. Mer. Indiana

Ch. 1/2

North Between Secs. 20 & 21

10.00 at Beech 14 m. dist.

40.00 At gr. Sec. post, from which
 a Poplar 54 m. dist. bearing N 12 E 48 lks. dist. of
 a Beech 6 " " " N 12 W 9 " "

Good level Beech & Ash land

80.00 At post Cor. to Secs. 16, 17, 20 & 21, from which
 at Beech 12 m. dist. bearing N 29 W 19 lks. dist. of
 a Do. 8 " " " S 86 E 21 " "

Level rich Beech & Poplar land

East On Road m. between Secs. 16 & 21

40.00 At stump 1/2 gr. Sec. post

80.00 intersected the E. boundary at the corner
 Over level Beech & Ash land

West Cor. between Secs. 16 & 21

40.00 At gr. Sec. post, at average dist. from which
 a Beech 12 m. dist. bearing N 20 W 22 lks. dist. of
 a Do. 24 " " " S 80 E 14 " "

80.00 to Sec. Corner.

North Between Secs. 16 & 17

40.00 At gr. Sec. post, from which
 a Hickory 12 m. dist. bearing S 58 W 18 lks. dist. of
 a Beech 8 " " " N 58 E 4 " "

80.00 At post Cor. to Secs. 8, 9, 16 & 17, from which
 at Beech 28 m. dist. bearing N 87 W 10 lks. dist. of
 a Do. 16 " " " N 87 E 31 " "

Level land, timber Beech, Poplar & ash

East On Road m. between Secs. 9 & 16

36.00 at Brook 8 lks. wide course N. E.

40.00 At stump 1/2 gr. Sec. post

80.60 intersected the N & S line at the post
 Over level Beech timbered land

St. N. P. M. E. 2nd Mer. Indiana 409

ch. 2th

West Corrected between Sec. 9 & 16

40.30 Set of Sec. post at average dist. from which
a Sugar 5 m. dist. bear N 26 W 19 lks. dist. of
a Do. Walnut 16 " " " N 20 E 25 " "

80.60 to Sec. Corner.

North Between Sec. 8 & 9

40.00 Set of Sec. post, from which
a Beech 10 m. dist. bear N 15 E 25 lks. dist. of
a Gum 7 " " " N 15 W 25 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 18 m. dist. bear S 50 W 19 lks. dist. of
a Do. 14 " " " East 15 " "
Sand, live timber Beech, Gum &c.

East On Land 9^m. between Sec. 4 & 9

40.00 Set temp. of Sec. post

60.00 a Brook 8 lks. wide Course N.

80.40 Intersected the N. S. line 15 lks. N. of post
Sand, timber &c. same as on last mile

West Corrected between Sec. 4 & 9

40.20 Set of Sec. post, at average dist. from which
a Beech 24 m. dist. bear N 45 E 45 lks. dist. of
a Do. 10 " " " S 70 W 21 " "

60.00 a Poplar 24 " "

80.40 to Sec. Corner.

North Between Sec. 4 & 5

40.00 Set of Sec. post, from which
a Blue Ash 8 m. dist. bear S 9 E 28 lks. dist. of
a White Ash 12 " " " S 9 W 22 " "

82.45 Intersected N. boundary 100 lks. E. of post
Set post Cor. to Sec. 4 & 5, from which
a Beech 9 m. dist. bear N 20 lks. dist. of
a Do. 12 " " " S 80 E 30 " "

St N R M E. 2^d Mer. Indiana
 chth Good level rich land, Beech, Ash, Poplar
 &c. under ^{the} Spruce &c.

North Between Secs. 31 & 32

40.00 Set of Sec. post, from which
 a Spruce 20 in. diam. branch N 47° E 17 ft. dist. &
 an Ironw. 8 " " " N 4 E 48 " "
 80.00 Set post Cor. to Secs. 29, 30, 31 & 32, from which
 a Poplar 20 in. diam. branch S 35° W 7 ft. dist. &
 a Beech 15 " " " N 55 E 26 " "
 This mile some broken soil rich, timber
 Beech, Ash, Poplar &c.

East Ant Road^m, between Secs. 29 & 32

40.00 Set temporary of Sec. post
 80.00 Intersected the N of S line at the corner
 Over level rich land, Beech, Poplar &c.

West Corrected between Secs. 29 & 32

40.00 Set of Sec. post at average dist. from which
 a Poplar 15 in. diam. branch S 29° E 22 ft. dist. &
 a White Oak 30 " " " N 41° W 20 " "
 60.00 a Poplar 36 in. diam. branch S 28° E 20 ft. dist.
 80.00 to Section Corner.

West Between Secs. 30 & 31

40.00 Set of Sec. post, from which
 a Beech 4 in. diam. branch S 69° W 5 ft. dist. &
 a Hickory 7 " " " N 69° E 19 " "
 70.00 a Creek 50 ft. wide Course S.
 77.50 Intersected N. boundary at the post
 First 1/2 mile rich level land, Beech, Poplar &c.
 last 1/2 mile broken Beech & Poplar land

North Between Secs. 29 & 30

40.00 Set of Sec. post, from which

St. N. R. M. E. 2^d. Mer. Indiana 411
ch. 1st

a Beech 7 m. dia. bay N 16 E 14 lth. dist. of
a Blue Ash 8 " " " N 16 W 25 " "
Rich Broken land
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 6 m. dia. bay East 10 lth. dist. of
a do. 10 " " " West 25 " "
Broken rich land, timber Beech, ash &c.

East On Land 9^m. between Sec. 20 & 29
40.00 Set temp. q. Sec. post.
80.20 Intersected the old S. line at the post
Over Broken Beech & ash land

West Corrected between Sec. 20 & 29
40.10 Set q. Sec. post at average dist. from which
a Beech 1 1/2 m. dia. bay N 11 E 19 lth. dist. of
a Sugar 10 " " " N 40 W 15 " "
66.10 a Beech 18 " "
80.20 to Sec. Corner

West Corrected between Sec. 19 & 30
15.00 a Brook 12 lth. wide C. S. W.
40.00 Set q. Sec. post, from which
a Beech 10 m. dia. bay N 14 W 32 lth. dist. of
a do. 20 " " " N 21 E 11 " "
49.00 a Brook 8 lth. wide C. S. W.
76.50 Intersected N. boundary 490 lth. S. of post
Set post Cor. to Sec. 19 & 30, from which
a Beech 10 m. dia. bay N 60 W 23 lth. dist. of
a do. 24 " " " N 70 E 30 " "
Over rich land some Broken, timber Beech
Poplar, ash, Sugar &c.

North Between Sec. 19 & 20
39.50 a Brook 10 lth. wide Course S. W.
40.00 Set q. Sec. post, from which

442 S. St. R. M. E. I. Mer. Indiana
ch² l² l²

a Sugar 8 mi. dist. bearing N 36 E 17 l² dist. of
a Do. 9 " " " N 24 E 28 " "
80.00 At post Cor. to Secs. 17, 18, 19 & 20 from which
at Beech 28 mi. dist. bearing South 21 l² dist. of
a Sugar 8 " " " N 27 E 30 " "
Land broken, timber Beech, Poplar &c

East On Land^r. between Secs. 17 & 20

35.00 at Brook 8 l² wide Corns S
40.00 At t² m² p² q². Sec. post
60.00 at Brook 8 l² wide Corns S. W.
80.00 intersected the N & S line 16 l² S. of post
Over level beech timbered land

West Corrected between Secs. 17 & 20

40.00 At q². Sec. post at average dist. from which
a Sugar 8 mi. dist. bearing N 60 E 25 l² dist. of
at Beech 24 " " " South 13 " "
80.00 to Sec. Corner

West Between Secs. 18 & 19

40.00 At q². Sec. post, from which
a W. Elm 4 mi. dist. bearing N 75 W 14 l² dist. of
a W. Oak 14 " " " N 40 E 19 " "
48.50 at Brook 12 l² wide Corns S. W.
53.00 a Do. 12 " " " S. W. with a cliff
of Rocks 70 feet high 50 l² to the South
60.00 to the Base of a very steep hill
75.50 intersected N. boundary 500 l² S. of post
At post Cor. to Secs. 18 & 19, from which
a Hickory 18 mi. dist. bearing N 45 W 2 l² dist. of
at Beech 18 " " " N 21 E 31 " "
Land hilly, timber Beech &c

North Between Secs. 17 & 18

40.00 At q². Sec. post, from which

St. R M E. 2nd. Mer. Indiana 413
ch. 1/2 ch.

a Hickory 3 mi. dist. - bear S 88 W 12 ch. dist. 5
a Do. 8 " " " N 88 E 15 " "
80.00 At post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 10 mi. dist. - bear East 10 ch. dist. 9
a Do. 6 " " " West 20 " "
Good level land, Beech, Poplar, Ash &c.

East Outland^m, between Sec. 8 & 17

40.00 At temp. q. Sec. post
80.20 Intersected the N. & S. line 60 ch. S. of post
Level Beech land, Soil Cold

West Corrected between Sec. 8 & 17

40.10 At q. Sec. post at average dist. from which
a Beech 28 mi. dist. - bear S 47 E 24 ch. dist. 9
a Do. 24 " " " North 24 " "
80.20 to Sec. Corner

West Between Sec. 7 & 18

10.00 a Brook 20 ch. wide Cr. S. much rocks
40.00 At q. Sec. post, from which
a Poplar 20 mi. dist. - made the post
75.50 Intersected the W. boundary 400 ch. S. of post
At post Cor. to Sec. 7 & 18, from which
a Poplar 14 mi. dist. - bear N 68 E 14 ch. dist. 9
a Beech 8 " " " N 82 W 15 " "
Good broken timber Beech & Poplar

North Between Sec. 7 & 8, St. R M E.

40.00 At q. Sec. post, from which
a Beech 30 mi. dist. - bear N 12 W 16 ch. dist. 9
a Do. 8 " " " N 12 E 12 " "
Level Beech land
80.00 At post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 20 mi. dist. - bear N 60 W 16 ch. dist. 9
a Do. 14 " " " S 72 E 15 " "

414 S. N. R. M. E. 2nd Mer. Indiana
ch. 1/2. Sand level timber Beech &c.

East On Rand^m. between Sect. 5 & 8
40.00 At top of Sec. post
80.24 Intersected West of S. line 9 ch. S. of post
Sand level timber Beech &c.

West Corried between Sect. 5 & 8
40.12 At top of Sec. post at average dist. from which
a Beech 8 mi. dist. by N 60 E 15 ch. dist. of
a Gum 10 " " " N 70 E 19 " "
76.20 at Beech 14 " "
80.24 to Sec. Corner

West Between Sect. 6 & 7
40.00 At top of Sec. post, from which
a Beech 24 mi. dist. by N 30 E 33 ch. dist. of
a Do. 20 " " " South 20 " "
75.00 intersected N. boundary 511 ch. S. of post
At post cor. to Sect. 6 & 7 from which
a Beech 24 mi. dist. by North 18 ch. dist. of
a Sugar 12 " " " N 40 E 9 " "
This mile level Beech & maple land soil cold

North Between Sect. 5 & 6. S. N. R. M. E.
40.00 At top of Sec. post, from which
a Beech 15 mi. dist. by N 33 E 20 ch. dist. of
a Do. 14 " " " N 65 E 4 " "
82.54 Intersected N. boundary 290 ch. E. of post
At post cor. to Sect. 5 & 6 from which
a Sugar 6 mi. dist. by N 77 W 23 ch. dist. of
a Do. 6 " " " N 4 E 8 " "
Sand level timber Beech, Sugar &c.

Surveyed in 1806 by
Emmanuel Thutensee
Deputy Surveyor

I certify that the foregoing transcript of field notes of
 Township N: 5 North, of Range N: 12 East 2^d Meridian
 Indiana, has been compared, with the original notes
 in this Office, and found to be correct.

Surveyor General's Office
 Cincinnati, Nov. 11th 1842

William Johnston
 Sur. Genl.